



<b>THE NRCA ROOFING MANUAL</b> CONSTRUCTION DETAIL C-6	<b>COPING WITH FLAT DRIP</b> <ul style="list-style-type: none"> <li>• 24 GA. STEEL</li> <li>• 22 GA. STEEL CLEAT</li> <li>• CONTINUOUS FRONT FACE CLEAT AND GASKETED BACK FACE FASTENER</li> </ul>	<b>ANSI/SPRI ES-1 TESTED RESISTANCE</b>		<b>UL-16</b>  10/30/15
		OUTWARD 150 LBS./SQ. FT.	UPWARD 250 LBS./SQ. FT.	




### FABRICATION




### INSTALLATION

<b>THE NRCA ROOFING MANUAL</b> CONSTRUCTION DETAIL C-7	<b>COPING WITH FLAT DRIP</b> • 24 GA. STEEL • 22 GA. STEEL CLEAT • CONTINUOUS FRONT FACE CLEAT AND GASKETED BACK FACE FASTENER	<b>ANSI/SPRI ES-1 TESTED RESISTANCE</b>		<b>UL-16A</b>  10/30/15
		OUTWARD 150 LBS./SQ. FT.	UPWARD 250 LBS./SQ. FT.	




**FABRICATION**




**INSTALLATION**

<b>THE NRCA ROOFING MANUAL</b> CONSTRUCTION DETAIL C-6	<b>COPING WITH FLAT DRIP</b> <ul style="list-style-type: none"> <li>• 0.040" ALUMINUM</li> <li>• 0.050" ALUMINUM CLEAT</li> <li>• CONTINUOUS FRONT FACE CLEAT AND GASKETED BACK FACE FASTENER</li> </ul>	<b>ANSI/SPRI ES-1 TESTED RESISTANCE</b>		<b>UL-17</b>  2/6/17
		OUTWARD 170 LBS./SQ. FT.	UPWARD 280 LBS./SQ. FT.	



### FABRICATION



### INSTALLATION

<b>THE NRCA ROOFING MANUAL</b> CONSTRUCTION DETAIL C-7	<b>COPING WITH FLAT DRIP</b> <ul style="list-style-type: none"> <li>• 0.040" ALUMINUM</li> <li>• 0.050" ALUMINUM CLEAT</li> <li>• CONTINUOUS FRONT FACE CLEAT AND GASKETED BACK FACE FASTENER</li> </ul>	<b>ANSI/SPRI ES-1 TESTED RESISTANCE</b>		<b>UL-17A</b>  2/6/17
		OUTWARD 170 LBS./SQ. FT.	UPWARD 280 LBS./SQ. FT.	

